

Honda **Pressure Washer** Engines

More Pressure! More Flow!



GCV190LAN5AP



GX200TQAPW



GX390T1QAPW

- Exclusively designed for pressure washer applications only.
- Improved engine cooling capacity for maximum power output.
- Unique induction components improve engine breathing.
- Engine is tuned uniquely for pressure washers to provide maximum pressure washer output.
- Unique engine components specially designed for pressure washer applications.

SPECIFICATIONS	GCV190LAN5AP	GX200TQAPW	GX390T1QAPW
Engine Type	Air-cooled, 4-Stroke, OHC, single cylinder	Air-cooled, 4-Stroke, OHV, single cylinder	Air-cooled, 4-Stroke, OHV, single cylinder
Bore x Stroke	2.7" x 2.0" (69 x 50 mm)	2.7" x 2.1" (68 x 54 mm)	3.5" x 2.5" (88 x 64 mm)
Displacement	11.4 cu in (187 cm ³)	12.0 cu in (196 cm ³)	23.7 cu in (389 cm ³)
PTO Shaft Rotation	Counterclockwise (from PTO shaft side)	Counterclockwise (from PTO shaft side)	Counterclockwise (from PTO shaft side)
Ignition System	Transistorized Magneto	Transistorized Magneto	Transistorized Magneto
Starting System	Recoil	Recoil	Recoil
Carburetor	Horizontal type butterfly valve	Horizontal type butterfly valve	Horizontal type butterfly valve
Lubrication System	Forced Splash	Forced Splash	Forced Splash
Governor System	Centrifugal Mechanical	Centrifugal Mechanical	Centrifugal Mechanical
Air Cleaner	Dry (paper filter)	Dual Element Type	Dual Element Type
Oil Capacity	0.58 US qt (0.55 l)	0.63 US qt (0.60 l)	1.16 US qt (1.1 l)
Fuel Tank Capacity	0.98 US qt (0.93 l)	3.31 US qt (3.1 l)	6.4 US qt (6.1 l)
Dimensions (L x W x H)	14.4" (367 mm) x 13.0" (331mm) x 13.8" (349mm)	12.6" (321 mm) x 14.8" (376mm) x 13.2" (335mm)	15.9" (405 mm) x 17.7" (450mm) x 17.4" (443mm)
Dry Weight	27.6 lbs (12.5 kg)	35.3 lbs (16.0 kg)	68.3 lbs (31.0 kg)

All of the above engines are certified for use in all 50 states.

HONDA
ENGINES

Built like no other.